
LifeVindow[®] Lite series Networked Multi-Parameter Veterinary Monitors



LifeVindow[®] Lite series Networked Multi-Parameter Veterinary Monitors





Clinically Validated Measurements

Veterinary specific algorithms.



Digicare AnimalEKG™



Masimo® SET® SpO2



Suntech® VetBP



Digicare TrueTemp™

Advanced Measurements (Optional)









Veterinary Specific Profiles

Automatically configured by patient weight. Patient Profiles adjust alarm limits and selects the correct algorithms needed for the most precise and accurate readings.



Large





Small

Exotic Small



Superior Trends Technology

Tabular


100 00 000 CO 00 CO 00 CO					
January 10	1.50 PM	1:45 PM	1:40 PM	1:35 PM	1:30 PM
Resp					
Temp 1				99.7	
Temp 2	100.4		100.4	100.4	100.4



Histogram



On screen



Highlights



Networking and Reports



Excel and PDF Reports



Remote Access from anywhere



Transfer Records to a PMS



Smart Flow Integration

Additional Specifications

- Waveform sweep speeds from 6.25mm/s up to 200mm/s for high heart rate.
- · Optional Nonin SpO2 for up to 450 BPM
- Optional Arrhythmia detection and ST segment elevation and depression measurements
- Capable of detecting heart rates up to 999 BPM for exotics and lab animals.

- · Waveforms auto-scale for ECG and IBP
- · Supports Multi-gas

Model 8.4" LW8sv

- Dimensions W 9.25", H 6.89", D 6.49"
- · Weight 8.7lb

Model 12.1" LW8xv

- Dimensions W 12.99", H 10.43", D 7.87"
- · Weight 10.5lb

Designed and Manufactured in America

Contact Us

Email: sales@digicarebiomedical.com

Phone: 1-561-689-0408

Learn More at www.digi-vet.com

